


Schedule of Accreditation

issued by

United Kingdom Accreditation Service

2 Pine Trees, Chertsey Lane, Staines-upon-Thames, TW18 3HR, UK

 Accredited to ISO/IEC 17025:2005	Hursley EMC Services Limited	
	Issue No: 047 Issue date: 04 August 2016	
	Trafalgar House Trafalgar Close Chandlers Ford Eastleigh SO53 4BW	Contact: Mr R P St John James Tel: +44 (0)23 8027 1111 Fax: +44 (0)23 8027 1144 E-Mail: rob@hursley-emc.co.uk Website: www.hursley-emc.co.uk
Testing performed by the Organisation at the locations specified below		

Flexible Scope

The Flexible Scope applies to the laboratory's accreditation to ISO/IEC17025:2005 for Civil and Military EMC testing activities in accordance with the standards listed on the schedule for EMC Testing, carried out at sites A and B.

The scope may also include tests on the same or similar product types against standards, or customer-specified methods that are not specifically listed in this Schedule, providing that:

- (1) The method or standard does not introduce new principles of measurement.
- (2) The method or standard does not require measurements to be made outside the parametric boundaries defined in this Schedule.

Information about flexible scopes of accreditation is available in UKAS document LAB 39.

Locations covered by the organisation and their relevant activities

Laboratory locations:

Location details	Activity	Location code
Address Trafalgar Close Chandler's Ford Eastleigh Hampshire SO53 4BW Local contact Mr R P St John James Tel: +44 (0)23 8027 1111 Fax: +44 (0)23 8027 1144 Email: rob@hursley-emc.co.uk Website: www.hursley-emc.co.uk	EMC Testing	A
Address F Block Hursley Park Hursley Winchester Hampshire SO21 2JN Local contact Mr R P St John James Tel: +44 (0)23 8027 1111 Fax: +44 (0)23 8027 1144 Email: rob@hursley-emc.co.uk Website: www.hursley-emc.co.uk	EMC Testing	B



1871

Accredited to
ISO/IEC 17025:2005

Schedule of Accreditation
issued by
United Kingdom Accreditation Service
2 Pine Trees, Chertsey Lane, Staines-upon-Thames, TW18 3HR, UK

Hursley EMC Services Limited
Issue No: 047 Issue date: 04 August 2016

Testing performed by the Organisation at the locations specified

Materials/Products tested	Type of test/Properties measured/Range of measurement	Standard specifications/ Equipment/Techniques used	Location Code
As listed on Page 2	CIVIL EMC TESTS (cont'd) 1.1 Conducted Emissions 9 kHz to 30 MHz (cont'd)	CISPR 22:2005 including Amendment A2:2006 CISPR 22:2008 VDE 0871:1978 CISPR 22:1985 and 1993 A1:1995, A2:1996 CISPR 22:1997 FCC/CFR 47:Part 15 FCC/CFR 47:Part 18 ANSI C63.4:1992 ANSI C63.4:2001 ANSI C63.4:2003 ANSI C63.4:2014 VCCI V-3/2010.04 VCCI V-4/2013.04 AS/NZ 2064:1997 AS/NZ 3548:1995 AS/NZ 4521:1997 CNS 13438:1997 CNS 13438:2006 CNS 13783-1:2004 CNS 13803:2003 SANS/SABS 222:1997 SANS/SABS 222:2006 CISPR 32:2012 EN 55032:2012 EN 55032:2015 (excluding outdoor home satellite receivers) CISPR 32:2015 (excluding outdoor ome satellite receivers)	A, B
	1.2 Radiated Emissions Electric Field 30 MHz to 40 GHz	EN 55011:1998 including Amendment A1:1999 and A2:2002 EN 55011:A2:2007 EN 55011:2009 + A1:2010 EN 55011:2015 CISPR 11:2009 + A1:2010 EN 55013:2001 including Amendment A1:2003 and A2:2006, (up to 1GHz, Radio receivers only)	A, B



Accredited to
ISO/IEC 17025:2005

Schedule of Accreditation
issued by
United Kingdom Accreditation Service
2 Pine Trees, Chertsey Lane, Staines-upon-Thames, TW18 3HR, UK

Hursley EMC Services Limited
Issue No: 047 Issue date: 04 August 2016

Testing performed by the Organisation at the locations specified

Materials/Products tested	Type of test/Properties measured/Range of measurement	Standard specifications/ Equipment/Techniques used	Location Code
As listed on Page 2	CIVIL EMC TESTS (cont'd) 1.2 Radiated Emissions (cont'd) Magnetic Field 10 kHz to 30 MHz Magnetic Field LLA 9 kHz to 30 MHz Electric Field 30 MHz to 40 GHz	EN 55014:1987 EN 55014-1:2000 including Amendment A1:2001 and A2:2003 EN 55014-1:2006 including Amendment A1:2009 and A2:2011 CISPR 14-1:2005 + A1:2008 + A2:2011 EN 55015:2013 EN 55015:2013 including Amendment A1:2015 CISPR 15:2013 + A1:2015 EN 55022:1987 and 1994 EN 55022:1998 including Amendment A1:2000 and A2:2003 EN 55022:2006 including Amendment A1:2007 and A2:2010 EN55022:2010 CISPR 22:1985 and 1993 A1:1995, A2:1996 CISPR 22:1997 CISPR 22:2005 including Amendment A2:2006 CISPR 22:2008 VDE 0871:1978 FCC/CFR 47:Part 15 FCC/CFR 47:Part 18 ANSI C63.4:1992 ANSI C63.4:2001 ANSI C63.4:2003 ANSI C63.4:2014 VCCI V-3/2010.04 VCCI V-4/2013.04 AS/NZ 2064:1997 AS/NZ 3548:1995 AS/NZ 4521:1997	A, B



1871

Accredited to
ISO/IEC 17025:2005

Schedule of Accreditation
issued by
United Kingdom Accreditation Service
2 Pine Trees, Chertsey Lane, Staines-upon-Thames, TW18 3HR, UK

Hursley EMC Services Limited
Issue No: 047 Issue date: 04 August 2016

Testing performed by the Organisation at the locations specified

Materials/Products tested	Type of test/Properties measured/Range of measurement	Standard specifications/ Equipment/Techniques used	Location Code
As listed on Page 2	CIVIL EMC TESTS (cont'd) 1.2 Radiated Emissions (cont'd) Electric Field 30 MHz to 40 GHz	EC Directive 2004/104/EC, Annex 7 and 8 EC Directive 95/54/EC, Annex 7 and 8 CNS 13438:1997 CNS 13438:2006 CNS 13783-1:2004 CNS 13803:2003 SANS/SABS 222:1997 SANS/SABS 222:2006 CISPR 32:2012 EN 55032:2012 EN 55032:2015 (excluding outdoor home satellite receivers) CISPR 32:2015 (excluding outdoor home satellite receivers)	



Accredited to
ISO/IEC 17025:2005

Schedule of Accreditation
issued by
United Kingdom Accreditation Service
2 Pine Trees, Chertsey Lane, Staines-upon-Thames, TW18 3HR, UK

Hursley EMC Services Limited
Issue No: 047 Issue date: 04 August 2016

Testing performed by the Organisation at the locations specified

Materials/Products tested	Type of test/Properties measured/Range of measurement	Standard specifications/ Equipment/Techniques used	Location Code
CB RECEIVER SUPER REGENERATIVE RECEIVER ALL OTHER RECEIVERS SUBJECT TO PART 15 TV INTERFACE DEVICE CABLE SYSTEM TERMINAL DEVICE CLASS B PERSONAL COMPUTERS AND PERIPHERALS CPU BOARDS AND INTERNAL POWER SUPPLIES USED WITH CLASS B PERSONAL COMPUTERS CLASS B PERSONAL COMPUTERS ASSEMBLED USING AUTHORIZED CPU BOARDS OR POWER SUPPLIES	CIVIL EMC TESTS (cont'd) FCC test requirements Conducted Emissions 9 kHz to 30 MHz Radiated Emissions 30 MHz to 40 GHz	FCC Part 15, unintentional Radiators ANSI C63.4-2014	A, B
CONSUMER ISM EQUIPMENT		FCC Part 18 Clauses: FCC MP-5 (February 1986),	A, B
INTENTIONAL RADIATORS BELOW 26.5 GHz		ANSI C63.10-2013 FCC Part 15 Intentional Radiators below 26.5 GHz – except Part 15D and Part 15E (non-DFS) KDB 789033	A, B



Accredited to
ISO/IEC 17025:2005

Schedule of Accreditation
issued by
United Kingdom Accreditation Service
2 Pine Trees, Chertsey Lane, Staines-upon-Thames, TW18 3HR, UK

Hursley EMC Services Limited
Issue No: 047 Issue date: 04 August 2016

Testing performed by the Organisation at the locations specified

Materials/Products tested	Type of test/Properties measured/Range of measurement	Standard specifications/ Equipment/Techniques used	Location Code
As listed on Page 2	CIVIL EMC TESTS (cont'd)		
	1.3 Discontinuous Emissions (Clicks) 10 kHz to 30 MHz	EN 55014-1:2000 including Amendment A1:2001 and A2:2002 EN 55014-1:2006 including Amendment A1:2009 and A2:2011 CISPR 14-1:2005 + A1:2008 + A2:2011	A, B
	1.4 Interference Power Measurements 30 MHz to 300 MHz	EN 55014-1:2000 including Amendment A1:2001 and A2:2002 EN 55014-1:2006 including Amendment A1:2009 and A2:2011 CISPR 14-1:2005 + A1:2008 + A2:2011	A, B
	1.5 Conducted RF Immunity 150 kHz to 230 MHz up to 10 Vrms	ENV 50141:1995 EN 61000-4-6:1996 including Amendment A1:2001 IEC 61000-4-6:2003 including IEC 61000-4-6:1996 Amendment A1:2004 EN 61000-4-6:2007 EN 61000-4-6:2009 EN 61000-4-6:2014 IEC 61000-4-6:2003 including Amendment A1:2004 & A2:2006	A, B
1.6 Radiated RF Immunity 10 Vm ⁻¹ 26 MHz to 2.7 GHz 20 Vm ⁻¹ 800 MHz to 1000 MHz	IEC 801-3:1984 ENV 50140:1995 ENV 50204:1995 EN 61000-4-3:1996 including Amd 1:1999 IEC 61000-4-3:1995 including Amendment A1:1998 EN 61000-4-3:2002 EN 61000-4-3:2006 EN 61000-4-3:2006 including Amendment A1:2008 & A2:2010	A, B	



1871

Accredited to
ISO/IEC 17025:2005

Schedule of Accreditation
issued by
United Kingdom Accreditation Service
2 Pine Trees, Chertsey Lane, Staines-upon-Thames, TW18 3HR, UK

Hursley EMC Services Limited
Issue No: 047 Issue date: 04 August 2016

Testing performed by the Organisation at the locations specified

Materials/Products tested	Type of test/Properties measured/Range of measurement	Standard specifications/ Equipment/Techniques used	Location Code
As listed on Page 2	CIVIL EMC TESTS (cont'd)		
	1.6 Radiated RF Immunity (cont'd) 10 Vm ⁻¹ 26 MHz to 2.7 GHz 20 Vm ⁻¹ 800 MHz to 1000 MHz	IEC EN 61000-4-3:2006 including Amendment A1:2008 & A2:2010 EN 50121-4:2006	A, B
	1.7 Immunity to Fast Transients/ Bursts up to 4.5 kV	IEC 801-4:1988 EN 61000-4-4:1995 including Amendment A2:2001 IEC 61000-4-4:1995 EN 61000-4-4:2004 EN 61000-4-4:2004 including Amendment A1:2010 IEC 61000-4-4:2004 including Amendment A1:2010 EN 61000-4-4:2012	A, B
	1.8 Immunity to Mains Surge up to 6 kV	EN 61000-4-5:1996 including Amendment A1:2001 IEC 61000-4-5:1995 EN 61000-4-5:2006 IEC 61000-4-5:2005 EN 61000-4-5:2014	A, B
	1.9 Mains Harmonic Emissions 50 Hz to kHz	EN 60555-2:1987 EN 61000-3-2:1995 EN 61000-3-2:2000 EN 61000-3-2:2006 including Amendment A1:2009 & A2:2009 IEC 61000-3-2:2005 including Amendment A1:2008 & A2:2009 EN 61000-3-2:2014	A, B



1871

Accredited to
ISO/IEC 17025:2005

Schedule of Accreditation
issued by
United Kingdom Accreditation Service
2 Pine Trees, Chertsey Lane, Staines-upon-Thames, TW18 3HR, UK

Hursley EMC Services Limited
Issue No: 047 Issue date: 04 August 2016

Testing performed by the Organisation at the locations specified

Materials/Products tested	Type of test/Properties measured/Range of measurement	Standard specifications/ Equipment/Techniques used	Location Code
As listed on Page 2	CIVIL EMC TESTS (cont'd)		
	1.10 Mains Flicker Emissions	EN 60555-3:1987 EN 61000-3-3:1995 including Amendment A1:2001 and A2:2005 EN 61000-3-3:2008 IEC 61000-3-3:2008 EN 61000-3-3:2013 IEC 61000-3-3:2013	A, B
	1.11 Electrostatic Discharge up to 30 kV	IEC 801-2:1984 and 1991 EN 61000-4-2:1995 including Amendment A1:1999 and IEC 61000-4-2:1995 including Amendment A1:1998 & A2:2000 A2:2001 EN 61000-4-2:2009 IEC 61000-4-2:2008	A, B
	1.12 Voltage Dips, Interruptions and Variations	EN 61000-4-11:1994 including Amendment A1:2001 IEC 61000-4-11:1994 EN 61000-4-11:2004 IEC 61000-4-11:2004	A, B
Maritime Navigation and Radio Communication Equipment	1.13 Power-Frequency Magnetic Fields (Immunity)	EN 61000-4-8:1993 including Amendment A1:2001 IEC 61000-4-8:1993 including Amendment A1:2000 EN 61000-4-8:2010 IEC 61000-4-8:2009	A, B
	Field strength: up to 30 A/m		
	1.14 Pulse Magnetic Immunity	EN 61000-4-9:2004 IEC 61000-4-9:1993 EN 61000-4-9:1993 including Amendment A1:2001	A
	1.15 EMC Tests	BS EN 60945:1997 IEC 945:1996 IEC 60945:2002	A, B



Accredited to
ISO/IEC 17025:2005

Schedule of Accreditation
issued by
United Kingdom Accreditation Service
2 Pine Trees, Chertsey Lane, Staines-upon-Thames, TW18 3HR, UK

Hursley EMC Services Limited
Issue No: 047 Issue date: 04 August 2016

Testing performed by the Organisation at the locations specified

Materials/Products tested	Type of test/Properties measured/Range of measurement	Standard specifications/ Equipment/Techniques used	Location Code
As listed on Page 2 Household Products Luminaires	CIVIL EMC TESTS (cont'd) 1.16 Electro-Magnetic field emissions relating to Human Exposure 10 Hz to 10 MHz	EN 50366:2003 including Amendment A1:2006 EN 62233:2008 Time Domain Evaluation Method EN 62493:2010	A, B
Electrical / electronic equipment mounted in ships where Compass is present	1.16 Compass safe distance	BS EN 60945:1997 IEC 945:1996 IEC 60945:2002	A, B
	1.17 EMC Tests These generic and product specific standards are included but limited to those referenced standards that are explicitly listed in Sections 1.1 to 1.15 of this Schedule.	IEC 61000-6-1:2005 IEC 61000-6-2:2005 IEC 61000-6-3:2006 IEC 61000-6-3:2006+A1:2010 IEC 61000-6-4:2006 IEC 61000-6-4:2006+A1:2010 EN 61000-6-1:2001 EN 61000-6-2:1999 EN 61000-6-2:2001 EN 61000-6-3:2001 including Amendment A1:2004 EN 61000-6-3:2006 including Amendment A1:2010 EN 61000-6-4:2001 EN 61000-6-1:2007 EN 61000-6-2:2005 EN 61000-6-3:2007 EN 61000-6-3:2007 including Amendment A1:2011 EN 61000-6-4:2007 EN 61000-6-4:2007 including Amendment A1:2011 IEC 61000-6-4:2006 including Amendment A1:2010 prEN 50082-1:1996 CISPR 16-1:1999 CISPR 16-2:1999	A, B



Accredited to
ISO/IEC 17025:2005

Schedule of Accreditation
issued by
United Kingdom Accreditation Service
2 Pine Trees, Chertsey Lane, Staines-upon-Thames, TW18 3HR, UK

Hursley EMC Services Limited
Issue No: 047 Issue date: 04 August 2016

Testing performed by the Organisation at the locations specified

Materials/Products tested	Type of test/Properties measured/Range of measurement	Standard specifications/ Equipment/Techniques used	Location Code
As listed on Page 2	CIVIL EMC TESTS (cont'd) 1.17 EMC Tests (cont'd)	CISPR 24:1997 including Amendment A1:2001 and A2:2002 (excluding Psophometric tests) EN 55024:2010 excluding Psophometric tests EN 55024:2010 + A1:2015 (excluding Psophometric tests) CISPR 24:2010 (excluding Psophometric tests) CISPR 24: 2010 + A1:2015 (excluding Psophometric tests) SANS/SABS 224:1997 EN 50091-2:1995 EN 55014-1:1993 including Amendment A1:1997 EN 55014-1:2006 including Amendment A1:2009 and A2:2011 CISPR 14-1:2005 + A1:2008 + A2:2011 EN 55014-2:1997 including Amendment A1:2001 and A2:2008 EN 55014-2:2015 CISPR 14-2:2015 EN 55103-1:1996 EN 55103-1:2009 EN 55103-1:2009 including Amendment A1:2012 EN 55103-2:1996 EN 55103-2:2009 EN 60601-1-2:1993 EN 60601-1-2:2001 EN 60601-1-2:2007 IEC 60601-1-2:2014 EN 61204-3:2000 IEC 61204-3:2000 EN 61326-1:1998 including Amendment A2:2001 and A3:2003 EN 61326-1:2013 EN 61326-1:2006 EN 61326-2-3:2006	A, B



1871

Accredited to
ISO/IEC 17025:2005

Schedule of Accreditation
issued by
United Kingdom Accreditation Service
2 Pine Trees, Chertsey Lane, Staines-upon-Thames, TW18 3HR, UK

Hursley EMC Services Limited
Issue No: 047 Issue date: 04 August 2016

Testing performed by the Organisation at the locations specified

Materials/Products tested	Type of test/Properties measured/Range of measurement	Standard specifications/ Equipment/Techniques used	Location Code
As listed on Page 2	CIVIL EMC TESTS (cont'd) 1.17 EMC Tests (cont'd)	TRG 1068:1991 ETS 300 339:1997 ETS 300 342-1:1994 ETS 300 342-2:1994 ETS 300 385:1996 EN 300 386 V1.3.3:2005 EN 300 386:V1.3.2:2003 ETS 300 386:1997 EN 301 489-1:V1.4.1:2002 EN 301 489-1:V1.9.2:2011 EN 301 489-3:V1.4.1:2002 EN 301 489-3:V1.6.1:2013 EN 301 489-4:V1.3.1:2002 EN 301 489-5:V1.3.1:2002 EN 301 489-17:V2.2.1:2009 EN 301 489-23:V1.2.1:2002 EN 301 489-24:V1.2.1:2002 EN 301 489-24:V1.6.1:2010 EN 50130-4:1995 including Amendment A1:1998 and A2:2003 EN 50130-4:2011 EN 50130-4:2011 including Amendment A1:2014 EN 50131-1:1997 EN 55024:1998 including Amendment A1:2001 and A2:2003 (excluding psophometric tests) EN 50270:1999 EN 50270:2006 EN 50293:2000 EN 50293:2012 EN 60730-1:2001 Sections 26 EN 60669-2-1:2004 Section 26 EN 61547:1995 A1:2000 EN 61547:2009 EN 54-21:2006* EN 50136-2-1:1998* *the radiated immunity test is accredited for frequencies of 80 MHz and above.	A, B



Accredited to
ISO/IEC 17025:2005

Schedule of Accreditation
issued by
United Kingdom Accreditation Service
2 Pine Trees, Chertsey Lane, Staines-upon-Thames, TW18 3HR, UK

Hursley EMC Services Limited
Issue No: 047 Issue date: 04 August 2016

Testing performed by the Organisation at the locations specified

Materials/Products tested	Type of test/Properties measured/Range of measurement	Standard specifications/ Equipment/Techniques used	Location Code
As listed on Page 2	CIVIL EMC TESTS (cont'd) 1.17 EMC Tests (cont'd)	EN 50270:2015 (excluding DC power port EN 61000-4-29 tests) KN 32: 2013 KN 35: 2013 (excluding psophometric tests) DNV GL-CG-0339:2015	A, B
	2 MILITARY AND AEROSPACE EMC TESTS 2.1 Conducted Emissions: Power, Control and Signal Leads: DC to 400 MHz	DEF STAN 59-41:Issue 5, DCE01 and DCE02 DEF STAN 59-41:Part 3, Section 3, Issue 1:2003 DCE01 and DCE02 RTCA/DO-160D, E & F and G:Section 21 DEF STAN 59-411 Part 3 Iss 1 DCE01.B, DCE02.B DEF STAN 59-411 Part 3 Iss 2 DCE01.B, DCE02.B MIL STD 461D, E & F CE 101 & CE 102	A
	2.2 Radiated Emissions: Electric Field: 10 kHz to 18 GHz	DEF STAN 59-41:Issue 5, DRE01 DEF STAN 59-41:Part 3, Section 3, Issue 1:2003 DRE01 RTCA/DO-160D, E & F and G:Section 21 DEF STAN 59-411 Part 3 Iss 1 DRE01.B DEF STAN 59-411 Part 3 Iss 2 DRE01.B MIL STD 461D, E & F RE 102 & RE103	A



1871

Accredited to
ISO/IEC 17025:2005

Schedule of Accreditation
issued by
United Kingdom Accreditation Service
2 Pine Trees, Chertsey Lane, Staines-upon-Thames, TW18 3HR, UK

Hursley EMC Services Limited
Issue No: 047 Issue date: 04 August 2016

Testing performed by the Organisation at the locations specified

Materials/Products tested	Type of test/Properties measured/Range of measurement	Standard specifications/ Equipment/Techniques used	Location Code
As listed on Page 2	2 MILITARY AND AEROSPACE EMC TESTS (cont'd)		
	2.3 Radiated Emissions: Magnetic Field: 20 Hz to 100 kHz	DEF STAN 59-41:Issue 5, DRE02 DEF STAN 59-41:Part 3, Section 3, Issue 1:2003 DRE02 RTCA/DO-160D, E & F and G:Section 21 DEF STAN 59-411 Part 3 Iss 1 DRE02.B DEF STAN 59-411 Part 3 Iss 2 DRE02.B MIL STD 461D, E & F RE101	A
	2.4 Exported Transients Power Lines	DEF STAN 59-41:Issue 5 DCE03 DEF STAN 59-41:Part 3, Section 3, Issue 1:2003 DCE03	A
	2.5 Conducted Susceptibility: Primary Power Lines, 20 Hz - 50 kHz	DEF STAN 59-41:Issue 5 DCS01 DEF STAN 59-41:Part 3, Section 3, Issue 1:2003 DCS01 DEF STAN 59-411 Part 3 Iss 1 DCS01.B DEF STAN 59-411 Part 3 Iss 2 DCS01.B MIL STD 461D, E & F CS101	A



1871

Accredited to
ISO/IEC 17025:2005

Schedule of Accreditation
issued by
United Kingdom Accreditation Service
2 Pine Trees, Chertsey Lane, Staines-upon-Thames, TW18 3HR, UK

Hursley EMC Services Limited
Issue No: 047 Issue date: 04 August 2016

Testing performed by the Organisation at the locations specified

Materials/Products tested	Type of test/Properties measured/Range of measurement	Standard specifications/ Equipment/Techniques used	Location Code
As listed on Page 2	2 MILITARY AND AEROSPACE EMC TESTS (cont'd)		
	2.6 Conducted Susceptibility: Power, Control and Signal Lines including Bulk Current Injection 10 kHz to 400 MHz	DEF STAN 59-41:Issue 5 DCS02 and DCS03 DEF STAN 59-41:Part 3, Section 3, Issue 1:2003 DCS02 and DCS03 DEF STAN 59-411 Part 3 Iss 1 DCS02.B & DCS03.B DEF STAN 59-411 Part 3 Iss 2 DCS02.B & DCS03.B MIL STD 461D, E & F CS106, CS109 CS114 & CS 115	A
	2.7 Damped Sinusoidal Transients Cables and Power Leads 10 kHz to 100 MHz	MIL STD 461D, 461E & 461F CS 116	A
	2.8 Radiated Susceptibility: Magnetic Field: 20 Hz to 100 kHz	DEF STAN 59-41:Issue 5 DRS01 DEF STAN 59-41:Part 3, Section 3, Issue 1:2003 DRS01 DEF STAN 59-411 Part 3 Iss 1 DRS01.B DEF STAN 59-411 Part 3 Iss 2 DRS01.B MIL STD 461D, E & F RS101	A
2.9 Radiated Susceptibility: Electric Field: 150 kHz to 1 GHz Maximum Field Strength: 20 V/m 1 GHz to 18 GHz Maximum Field Strength: 10 V/m	DEF STAN 59-41:Issue 5 DRS02.3 SEF STAN 59-41:Part 3, Section 3, Issue 1:2003 DRS02.3 DEF STAN 59-411 Part 3 Iss 1 DRS02.B DEF STAN 59-411 Part 3 Iss 2 DRS02.B MIL STD 461D, E & F RS103	A	



1871

Accredited to
ISO/IEC 17025:2005

Schedule of Accreditation
issued by
United Kingdom Accreditation Service
2 Pine Trees, Chertsey Lane, Staines-upon-Thames, TW18 3HR, UK

Hursley EMC Services Limited
Issue No: 047 Issue date: 04 August 2016

Testing performed by the Organisation at the locations specified

Materials/Products tested	Type of test/Properties measured/Range of measurement	Standard specifications/ Equipment/Techniques used	Location Code
As listed on Page 2	2 MILITARY AND AEROSPACE EMC TESTS (cont'd)		
	2.10 Electrostatic Discharge	DEF STAN 59-41:Issue 5, DCS10 DEF STAN 59-41:Part 3, Section 3, Issue 1:2003 DCS10 DEF STAN 59-411 Part 3 Iss 1 DCS10.B DEF STAN 59-411 Part 3 Iss 2 DCS10.B	A
	2.11 Magnetostatic Field Susceptibility 800 A/m	DEF STAN 59-411:Part 3 Iss 1 DRS03 DEF STAN 59-411:Part 3 Iss 2 DRS03	A
	Facilities for EMC: Screened enclosures, anechoic lined with 3 m turntable 2 enclosures each, 10 m x 6 m x 4 m 1 enclosure, 11 m x 7 m x 6 m Open area test site: 3 m, 10 m and 30 m range 5 m turntable in enclosed area with 4 m x 2 m doors		
END			